

CUBIC Trial Kit

Reagent 試薬

290-80801

Lot.

Exp.

Date

DANGER 危険

危険物第四類 第三石油類

危険等級Ⅲ 火気厳禁

KA3

Tissue Optical Clearing Reagent

組織透明化用

Wako

■Wear protective gloves, protective goggles or face shield, etc. Use respirator if necessary. ■In case of contact, consult a physician. ■In case of contact with eyes, skin and clothes etc., wash with plenty of water. ■Avoid release to the environment. ■Do not inhale dust/fume/gas/mist/vapor/spray. ■Causes skin irritation ■Causes serious eye irritation ■May be fatal if swallowed and enters airways ■May cause an allergic skin reaction ■Harmful to aquatic life ■Harmful to aquatic life with long lasting effects

CUBIC Trial Kit

1キット

Store in the dark.

Contents:

1) Scale/CUBIC-1 Solution

125mL×2

2) Scale/CUBIC-2 Solution

125mL×2

3) Mounting Solution 1

40mL×1

4) Mounting Solution 2

40mL×1

危険物第四類 第三石油類 危険等級Ⅲ 火気厳禁

危険物第四類 第三石油類 危険等級Ⅲ 火気厳禁

FUJIFILM

FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-Ku, Osaka 540-8605, Japan

富士フイルム 和光純薬株式会社

大阪府中央区道頓町三丁目1番2号 Tel. 06-6203-3741

See SDS

For Laboratory Use Only

試験研究用

CUBIC Trial Kit

125mL

CUBIC Trial Kit

125mL

1Kit

Rating: Not Rated Yet

Price

Sales price 5050 ?

Discount

[Ask a question about this product](#)

Manufacturer[FUJIFILM Wako](#)

Description

This product is for research use only. Do not administer it to human.

CUBIC (Clear, Unobstructed Brain/Body Imaging Cocktails and Computational analysis) is a transparent technology developed by Department of Systems Pharmacology, Graduate School of Medicine, the University of Tokyo: Professor Hiroki Ueda and Professor Etsuo Susaki.

CUBIC is expected to observe one cell level by improving Scale which is an existing technology, making it possible to transparentize not only brain tissue but also all tissues. CUBIC has reported pathological approach, fish transparency method and crustacean transparency method, and various application acquisition is possible.

[???????CUBIC???????????????](#)

Reviews

There are yet no reviews for this product.